



Docket Number F-100
Pitney Bowes Inc.
35 Waterview Drive
P.O. Box 3000
Shelton, CT 06484-8000
September 5, 2000



BOX PATENT APPLICATION
ASSISTANT COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

Inventor: Robert A. Cordery, et al.

For: A METHOD FOR AUDITING A DATABASE AND SYSTEM FOR CARRYING OUT SUCH METHOD

Enclosed are:

Sixteen (16) pages comprising the specification, claims, and abstract.

Six (6) sheets of drawing.

A Declaration and Power of Attorney.

A Recordation of Assignment Request and an Assignment of the invention to Pitney Bowes Incorporated, 1 Elmcroft Road, Stamford, Connecticut 06926-0700.

Fees calculated as follows:

Basic Fee						\$ 690.00
Claims Fee	Number Filed		Number Extra		Rate	
Total Claims	28	- 20 =	8	X	\$18.00	= \$ 144.00
Independent Claims	1	- 3 =	0	X	\$78.00	= \$ 0.00
Multiple Dependent Claims					\$260.00	= \$
Total Filing Fee						\$ 834.00

Please charge our Deposit Account Number **16-1885** in the amount of \$ 834.00 for the filing fee.

The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Account Number **16-1885**.

A copy of this Transmittal Letter is enclosed for use in charging the Deposit Account.

Charles R. Malandra, Jr.
Reg. No. 31,038
Attorney of Record
Telephone (203) 924-3217

09654951-090500

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent application of:) Attorney Docket No.: F-100
Robert A. Cordery, et al.) Group Art Unit: N/A
Serial No.: N/A) Examiner: N/A
Filed: Concurrently herewith) Date: September 5, 2000
Title: A METHOD FOR AUDITING A DATABASE AND SYSTEM FOR CARRYING OUT
SUCH METHOD


CERTIFICATE OF MAILING BY EXPRESS MAIL

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

In accordance with the provisions of 37 CFR 1.10, I hereby certify that the attached Patent Application, Drawings, Declaration and Power of Attorney, Assignment and Recordation of Assignment, Transmittal Letter and Return Receipt Postcard was deposited with the U.S. Postal Service for delivery by Express Mail on September 5, 2000. The number of the Express Mail mailing label is EE628583753US.

Respectfully submitted,



Charles R. Malandra, Jr.
Reg. No. 31,038
Attorney of Record
Telephone (203) 924-3217

PITNEY BOWES INC.
Intellectual Property and
Technology Law Department
35 Waterview Drive
P.O. Box 3000
Shelton, CT 06484-8000

A METHOD FOR AUDITING A DATABASE AND SYSTEM FOR CARRYING OUT SUCH METHOD

5

BACKGROUND OF THE INVENTION

The subject invention relates to the verification and auditing of records in a database. More particularly, it relates to verification and auditing of records relating to various users who can access or update the records through any of a plurality of modules.

10

With the explosive growth of digital communications systems where users can remotely access various types of accounts through any of a plurality of devices have become common. Perhaps the best known of such systems are the ubiquitous ATM's. Another such system is ClickStamp Online marketed by the assignee of the subject invention to transmit digital postal indicia in response to requests from mailers, which will be described further below. Commonly, in such systems a central server maintains a record or records of transactions by each user in a database. Clearly, unauthorized alteration of such records can cause large losses for system operators or users.

15

Thus it is an object of the subject invention to provide a method for generating and maintaining audit data which can be used to audit and verify such databases.

20

BRIEF SUMMARY OF THE INVENTION

25

The above object is achieved and the disadvantages of the prior art are overcome in accordance with the subject invention by means of a method, and a database system for carrying out that method. The system includes: a data store storing a database including a plurality of records; a server maintaining the records; and a plurality of independent modules providing access to said records. In accordance with the method of the subject invention the modules are programmed to maintain a set of additive audit data in each module and increment a set of audit data maintained in one module when a record is

accessed through that module and the server is programmed to sum the sets of audit data to generate system audit data and verify the database's integrity against the system audit data.

In accordance with one aspect of the subject invention the server is further programmed to receive user requests for access and send the user request and the requested
5 record to a selected one of the modules, and the modules are further programmed so that the selected module updates the requested record in accordance with the request.

In accordance with another aspect of the subject invention the modules are further programmed so that the selected module incorporates encrypted information in the record to prevent generation of fraudulent records.

10 In accordance with another aspect of the subject invention the request includes a request for a digital postal indicium and the modules are further programmed so that the selected module generates and returns to the requesting user a digital postal indicium in accordance with the request, and updates the requested record in accordance with the request.

15 In accordance with still another aspect of the subject invention each of the modules is secured against tampering.

In accordance with still yet another aspect of the subject invention the sets of audit data comprise increments of a linear error correcting code for correcting a field of the records, whereby the audit data can be summed by the server to generate a system error
20 correcting code to correct the field of the records.

In accordance with another aspect of the subject invention the corrected field contains a total postage amount for the corresponding record.

In accordance with another aspect of the subject invention the corrected field contains a total number of indicia dispensed for the corresponding record.

25 Other objects and advantages of the subject invention will be apparent to those skilled in the art from consideration of the detailed description set forth below and the attached drawings.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows a schematic block diagram of a system for dispensing digital postal
5 indicia in accordance with the subject invention.

Figure 2 shows a schematic block diagram of the cryptographic modules of the
system of Figure 1 and includes a representation of audit data stored in the modules.

10 Figure 3 is a representation of the information content of a request for a digital
postal indicium.

Figure 4 is a representation of the information content of a meter record comprised
in the database of the system of Figure 1.

15 Figure 5 shows a flow diagram of the operation of the server of the system of
Figure 1 in response to a request for a digital indicium.

Figure 6 shows a flow diagram of the operation of a cryptographic module of the
20 system of Figure 1 in response to a request for a digital indicium.

Figure 7 shows a flow diagram of the operation of the server of the system of
Figure 1 in auditing the database.

25 **DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS OF THE INVENTION**

Figure 1 shows database system 10 for providing digital postal indicia in response
to requests from various users. System 10 is substantially similar to the ClickStamp Online
marketed by the assignee of the subject invention with further adaptation to carry out the
30 method of the present invention.

Users 12 who require a digital postal indicium send a request to server 14 through network 16, which can be any convenient mechanism for communication by a plurality of users, such as the public switched telephone network, the Internet, or a private network provided by the operator of system 10. Server 14 provides users 12 with access to meter record database 20 through cryptographic modules 22. Server 14 retrieves the requested meter record from database 20, selects an available one of modules 22, and sends the requested meter record and user request to the selected one of modules 22. Modules 22 generate a digital postal indicium in accordance with the request and update the requested meter record, as will be described further below.

Preferably, modules 22 are secured by a tamper resistant housing 24, and any other suitable techniques for preventing unauthorized access to modules 22 are also within the contemplation of the subject invention. (Housing 24 is shown as a single housing enclosing all of modules 22 but can also be a separate housing for each module.)

While modules 22 are shown as physically separate they can also be multiple instances of the cryptographic software running on single computer.

Figure 2 shows the contents of a meter record stored in database 20 in one embodiment of the subject invention. Such records include: a Device ID identifying the record, a License ID evidencing authorization to generate indicia, a Transaction ID used to synchronize refill requests, an Ascending Register storing the total mount of postage generated through the meter record, a Descending Register storing the remaining amount of postage authorized (i.e., pre-paid), a Date of Last Refill storing the date of the last pre-payment for postage, an Origin ZIP Code identifying the location from which the mailpieces bearing the generated indicia will be mailed, a Piece Count of transactions processed, a Meter Private Encryption Key used to sign the digital postal indicia generated through the record, and a Cryptographic Module Signature generated by the last cryptographic module to update the record to prevent fraudulent alteration of the record. Other forms of incorporation of encrypted information to prevent fraud, such as encrypting all or part of the record without first generating a signature hash are also within the contemplation of the subject invention.

Those skilled in the postage meter art will recognize that meter records contain substantially the same information found in conventional free standing postage meters.

Figure 3 shows the contents of a indicium request in one embodiment of the subject invention. In addition to the user's identity it includes: a Device ID identifying the meter record to be used, a Postage Amount for the requested indicium, a Rate Category for the requested indicium, and Destination Address Data for the corresponding mailpiece.

Figure 4 shows a more detailed schematic block diagram of a cryptographic module 22. Module 22 includes nonvolatile memory 24 for secure storage of data, encryption engine 28 for performing cryptographic calculations, controller 30 for controlling the operation of module 22 and communications port 32 for communication with server 14.

In one embodiment of the subject invention nonvolatile memory 24 stores: Device ID's to identify a specific cryptographic module, Device Signing Keys to generate digital signatures when meter records are updated, Device Encryption Keys which decrypt Meter Private Encryption Keys stored in meter records and Audit Data for auditing database 20, which audit data can include: Total Postage processed through the module, Piece Count which represents the total number of transactions processed through the module, Postage per ZIP and Transactions per ZIP representing the above amounts on a per Origin Zip Code basis, and Error Correction Code Data from which a system error correction code can be generated, as will be further described below.

It should be noted that Audit Data is linear and can be combined by appropriate "summation" operations, as will be described further below, to generate system audit data so that modules 22 can operate independently, i.e., without need for communication among modules 22 for purposes of the subject invention.

Figure 5 shows a flow diagram of the operation of server 14 in processing a request for a digital postal indicium. At 50 one of users 12 generates a request and sends it over network 16 to server 14. At 52 server 14 receives the request and at 54 selects the requested meter record from database 20 and confirms the user's authority to access that record. At 56 server 14 confirms that the requested meter record contains sufficient funds, and if not rejects the request at 60. (Details of the processing of rejected requests form no part of the subject invention.) If the requested record shows sufficient funds, at 62 server

14 selects an available one of cryptographic modules 22 and sends the request and requested meter record to the selected module, and waits. At 68 server 14 receives the updated meter record, including updated and signed audit data, and a digital postal indicium in accordance with the request. At 68 server 14 stores the updated record in database 20, and at 70 sends the indicium and meter status (e.g., pre-paid postage remaining) to the requesting user.

Figure 6 shows the operation of modules 22 in processing a request for a digital postal indicium. At 72 the selected one of modules 22 receives the indicium request and the requested meter record and, at 76 confirms that sufficient funds are available. If not the request is rejected at 78; again in a manner whose details form no part of the subject invention. At 80 the selected module constructs an indicium message having an appended indicium signature, which when printed in relevant part on a mailpiece will evidence payment of postage in the amount shown, and at 84 updates the requested meter record and appends a meter record signature. Generation of indicia and updating meter records is more fully described in specifications for the Information Based Indicia Program (IBIP) published by the United States Postal Service and further discussion is not believed necessary for an understanding of the subject invention.) At 86 the selected module updates the audit data. (Updating the postage and transaction data is a matter of simple addition. Updating of the error correcting code will be described further below.) At 88 the updated audit data is stored in nonvolatile memory 24, and at 90 the signed indicium message and signed meter record are sent to server 14 for processing as described above. The audit data and the indicium are transmitted to the server at the same time. The indicium is forwarded to customer 12 and a copy of the audit data is stored in server 22. While perhaps less secure than data stored in modules 22, audit data stored in server 22 can be verified against that in modules 22 and can be used, for example, when a module is off-line.

Preferably, the audit data includes encrypted information to provide assurance of its authenticity. (As used herein the term "encrypted information" includes incorporation of a digital signature or encryption of all or portions of a message.) The audit data can also include time data to provide assurance that it is current.

Figure 7 shows the operation of server 14 in auditing database 20. At 100 server 20 calculates the total postage dispensed and total number of transaction for database 20. In one embodiment this total is over the whole database. In another embodiment totals can be taken over each origin zip code. At 102 server 20 obtains the audit data from all of modules 22, and at 104 calculates the appropriate totals from the audit data. At 106 server 14 compares the totals determined from the database with the totals determined from the audit data, i.e. compares the total postage and number of transactions across the database with the totals across cryptographic modules 22. At 110 server 14 determines if the totals agree and, in one embodiment, if the totals agree reports a successful audit at 112.

If the totals are not equal or, in other embodiments where the operator of server 14 wishes to assure that amounts have been properly distributed over meter records even if the overall totals are correct, at 114 server calculates a system error correction code by appropriately “summing” the Error Correction Code Data from each of modules 22.

The system error correcting code can be any linear error correcting code and is preferably an example of the known Reed-Solomon code. In one embodiment of the subject invention:

a prime number $p = 10,000,000,019$

$N = 38,167,939$, and

$\omega = 245$, so that

$\omega^N = 1 \text{ mod } p$

As is known, generator function for an $(N, N-2t)$ Reed-Solomon code is given by:

$$g(x) = (x - \omega^{-1})(x - \omega^{-2}) \dots (x - \omega^{-2t})$$

The resulting code can detect up to $2t$ errors, correct up to t errors and can be used for up to $N-2t$ meter records. (By “error” herein is meant a code word, e.g. a field, with one or more incorrect entries.)

The total postage dispensed by system 10 can be expressed as a polynomial:

$$d(x) = A_0 + xA_1 + \dots + x^{N-2t-1}A_{N-2t-1}$$

where A_M is the value of the Ascending Register for meter record M. (If M' does not exist $A_{M'} = 0$) The corresponding error correction code polynomial is:

$$e(x) = -x^{2t}d(x) \bmod g(x)$$

and the error correcting code is the set of $2t$ coefficients of $e(x)$.

5

When a selected one of modules 22 dispenses postage in the amount P for meter record M the increment to the Error Correction Code Data for that module is $-x^{2t+M} P \bmod g(x)$

10 If $t = 1000$ then each of modules 22 will keep a set of 2000 partial sums $(\bmod g(x))$ of the coefficients of $e(x)$. Similar functions can be developed for the total number of transactions in a substantially identical manner.

At 114 server 14 will sum Error Correction Code Data from each of modules 22 $\bmod g(x)$ to generate $e(x)$ (and the error correcting code for the number of transactions).

15 At 118 server 14 applies these codes in a conventional manner to generate corrected meter records and at 120 verifies if the discrepancy identified at 110 is correctable by determining if the corrected meter records and sums determined for the total postage and number of transactions agree. If so at 122 server 14 reports the corrections to the database and at 126 investigates the discrepancy. Otherwise at 128 server 14 reports an uncorrectable discrepancy. Details of these reporting and investigating functions form no
20 part of the present invention and will not be discussed further here.

The detailed design of systems such as system 10 and cryptographic modules such as modules 22 is well within the abilities of those skilled in the art, as is the program coding needed to carry out the functions described above and further description of such detailed design and coding is not believed necessary for an understanding of the subject
25 invention.

The embodiments described above and illustrated in the attached drawings have been given by way of example and illustration only. From the teachings of the present application those skilled in the art will readily recognize numerous other embodiments in accordance with the subject invention. For example bank records, which are accessed

through ATM's can be audited using the subject invention. Accordingly, limitations on the subject invention are to be found only in the claims set forth below.

What is claimed is:

1. A method for auditing a database comprising a plurality of records, said records each being accessible through at least one of a plurality of independent modules, said method comprising the steps of:

- a) maintaining a set of additive audit data in each of said modules;
- b) controlling said modules so that each module increments a set of audit data maintained in said module when a record is accessed through said module;
- c) summing said sets of audit data to generate system audit data; and
- d) verifying said database's integrity against said system audit data.

2. A method as described in claim 1 comprising the further steps of:

- a) sending a user request for access to a record and said requested record to a selected one of said modules; and
- b) said selected module updating said requested record in accordance with said request .

3. A method as described in claim 2 wherein said selected module incorporates encrypted information in said record to prevent generation of fraudulent records.

4. A method as described in claim 3 wherein said request includes a request for a digital postal indicium and comprises the further steps of:

a) controlling said selected module to generate and return to said requesting user a digital postal indicium in accordance with said request; and

b) controlling said selected module to update said requested record in accordance with said request.

5. A method as described in claim 2 wherein said selected module incorporates encrypted information in said audit data to authenticate said audit data.

6. A method as described in claim 2 wherein said selected module incorporates time information in said audit data.

7. A method as described in claim 1 comprising the further step of providing security against tampering for each of said modules.

8. A method as described in claim 1 wherein said sets of audit data comprise increments of a linear error correcting code for correcting a field of said records, whereby said audit data can be summed to generate a system error correcting code to correct said field of said records.

9. A method as described in claim 8 comprising the further steps of:

a) sending a user request for access to a record and said requested record to a selected one of said modules; and

b) said selected module updating said requested record in accordance with said request .

10. A method as described in claim 9 wherein said request includes a request for a digital postal indicium and comprising the further steps of:

a) controlling said selected module to generate and return to said requesting user a digital postal indicium in accordance with said request; and

b) controlling said selected module to update said requested record in accordance with said request.

11. A method as described in claim 10 wherein said corrected field contains a total postage amount for the corresponding record.

12. A method as described in claim 10 wherein said corrected field contains a total number of indicia dispensed for the corresponding record.

13. A method as described in claim 8 wherein said sets of audit data further comprise arithmetic totals for values stored in said field of said records, whereby arithmetic sums of said values across said modules can be compared with arithmetic sums across said records, whereby numbers of errors greater than the number which can be detected by said system error correcting code can be detected.

14. A method as described in claim 13 wherein said field contains a total postage amount or a total number of indicia dispensed.

15. A database system comprising:

a) a data store storing a database comprising a plurality of records;

b) a server maintaining said records;

c) a plurality of independent modules providing access to said records;

wherein

d) said modules are programmed to maintain a set of additive audit data in each of said modules and increment a set of audit data maintained in one of said modules when a record is accessed through said one module;

e) said server is programmed to sum said sets of audit data to generate system audit data and verify said database's integrity against said system audit data.

16. A system as described in claim 15 wherein:

a) said server is further programmed to receive user requests for access and send said user request and said requested record to a selected one of said modules; and

b) said modules are further programmed so that said selected module updates said requested record in accordance with said request .

17. A system as described in claim 16 wherein said modules are further programmed so that said selected module incorporates encrypted information in said record to prevent generation of fraudulent records.

18. A system as described in claim 16 wherein said selected module incorporates encrypted information in said audit data to authenticate said audit data.

19. A system as described in claim 16 wherein said selected module incorporates time information in said audit data.

20. A system as described in claim 17 wherein said request includes a request for a digital postal indicium and wherein said modules are further programmed so that said selected module generates and returns to said requesting user a digital postal indicium in accordance with said request; and updates said requested record in accordance with said request.

21. A system as described in claim 15 wherein each of said modules is physically secured against tampering.

22. A system as described in claim 15 wherein said sets of audit data comprise increments of a linear error correcting code for correcting a field of said records, whereby said audit data can be summed by said server to generate a system error correcting code to correct said field of said records.

23. A system as described in claim 22 wherein said modules are further programmed so that said selected module incorporates encrypted information in said record to prevent generation of fraudulent records.

24. A system as described in claim 23 wherein said request includes a request for a digital postal indicium and wherein said modules are further programmed so that said selected module generates and returns to said requesting user a digital postal indicium in accordance with said request; and updates said requested record in accordance with said request.

25. A system as described in claim 24 wherein said corrected field contains a total postage amount for the corresponding record.

26. A system as described in claim 24 wherein said corrected field contains a total number of indicia dispensed for the corresponding record.

27. A system as described in claim 22 wherein said sets of audit data further comprise arithmetic totals for values stored in said field of said records, whereby arithmetic sums of said values across said modules can be compared with arithmetic sums across said records, whereby numbers of errors greater than the number which can be detected by said system error correcting code can be detected.

28. A system as described in claim 27 wherein said field contains a total postage amount or a total number of indicia dispensed.

ABSTRACT OF THE DISCLOSURE

A method for auditing a database records and a system applying that method.

Database records are accessed through a plurality of modules. A particular transaction may
5 be processed through any module. Each module maintains partial audit data reflecting
transactions processed through that module. Data from all modules is appropriately
“summed” with an additive operation such as arithmetic addition or modular addition to
generate system audit data. In one embodiment, the system audit data includes a linear
error correcting code. In another embodiment, the system dispenses digital postal indicia.




FIG. 1

Meter Record

- **Device ID**
- **License ID**
- **Transaction ID**
- **Ascending register**
- **Descending register**
- **Date of last refill**
- **Origin ZIP code**
- **Piece Count**
- **Meter encrypted private key**
- **Cryptographic module signature**

FIG. 2

Indicium Request

- **Device ID**
- **Postage Amount**
- **Rate Category**
- **Destination address data**

FIG. 3




FIG.4




FIG. 5




FIG. 6

F100
4 of 6




FIG. 7

DECLARATION AND POWER OF ATTORNEY
Patent Application

Attorney's Docket Number
F-100

Page 1 of 3

As below named inventors, we hereby declare that:

our residences, post office addresses and citizenships are as stated below next to our names;

we believe that we are the original, first and joint inventors of the subject matter which is claimed and for which a patent is sought on the invention entitled

**A METHOD FOR AUDITING A DATABASE AND SYSTEM FOR
CARRYING OUT SUCH METHOD**

described and claimed in the attached specification;

we have reviewed and understand the contents of the above-identified specification, including the claims;

we acknowledge our duty to disclose to the Patent and Trademark Office all information known to us to be material to the patentability of this application as defined in Title 37, Code of Federal Regulations, section 1.56; and

we do not know and do not believe the invention was ever known or used in the United States of America before our invention thereof, or patented or described in any printed publication in any country before our invention thereof or more than one year prior to this application, that the invention was not in public use or on sale in the United States of America more than one year prior to this application, that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on any application filed by us or our legal representatives or assigns more than twelve months prior to this application, and that no application for patent or inventor's certificate on this invention has been filed in any country foreign to the United States of America prior to this application by us or our legal representatives or assigns.

We hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith;

Charles R. Malandra, Jr.
Michael E. Melton
David E. Pitchenik
Robert E. Meyer


Reg. No. 31,038
Reg. No. 32,276
Reg. No. 24,020
Reg. No. 26,307


DECLARATION AND POWER OF ATTORNEY Patent Application	Attorney's Docket Number F-100
	Page 2 of 3

Address all telephone calls to Charles R. Malandra, Jr.
at telephone No.: (203) 924-3217.


Address all correspondence to: Charles R. Malandra, Jr.
Pitney Bowes Inc.
Intellectual Property and
Technology Law Department
35 Waterview Drive
P.O. Box 3000
Shelton, CT 06484


We hereby declare that all statements made herein of our own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name	Last Cordery	First Robert	Middle A.
Residence & Citizenship	City Danbury	State CT	Citizenship USA
Post Office Address	Street Address 11 1/2 Jeanette	City Danbury	State CT Zip Code 06811
Signature of Inventor 			Date Aug 31, 2000

FULL NAME	Last Heiden	First Richard	Middle W.
Residence & Citizenship	City Huntington	State CT	Citizenship USA
Post Office Address	Street Address 4 Deborah Drive	City Huntington	State CT Zip Code 06484
Signature of Inventor 			Date 9/1/00

005060" T 1345960

DECLARATION AND POWER OF ATTORNEY Patent Application			Attorney's Docket Number F-100	
Page 3 of 3				
FULL NAME	Last Pierce	First Perry	Middle A.	
Residence & Citizenship	City Darien	State CT	Citizenship USA	
Post Office Address	Street Address 65 Relihan Road	City Darien	State CT	Zip Code 06820
Signature of Inventor 				Date 9/1/2000

FULL NAME	Last Strobel	First Kevin	Middle L.	
Residence & Citizenship	City Fairfield	State CT	Citizenship USA	
Post Office Address	Street Address 244 Samp Mortar Drive	City Fairfield	State CT	Zip Code 06830-2462
Signature of Inventor 				Date 9/1/00

005060" T 3345960